

Certificate of Product Approval

Certificate Number: 1294a

Issue: 01

Northstone NI Limited T/A CUBIS Industries

4 Silverwood Industrial Estate
Lurgan
Co. Armagh
BT66 6LN



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

Citadel

horizontal access covers

Standard

LPS 1175: Issue 7

Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for LPCB

Paul Dillon
Verifier

27 April 2015
Date of Issue

27 April 2015
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

LPCB is part of BRE Global Ltd, Garston, Watford, WD25 9XX
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: enquiries@breglobal.com



Appendix to Certificate No: 1294a Northstone NI Limited T/A CUBIS Industries

Issue: 01

Horizontal Access Covers

Product Name	Type	Minimum Width ¹ of Internal Opening (m)	Maximum Width ¹ of Internal Opening (m)	Minimum Length ² of Internal Opening (m)	Maximum Length ² of Internal Opening (m)	Compatible Padlocks	Security Rating	LPCB Ref. No.
Citadel	Single leaf horizontal hinged upstand access cover	0.6	1.2	0.6	1.2	A to C	4	1294a/01
	Twin leaf in-line hinged horizontal upstand access cover	0.6	1.2	1.2	2.4			
	Triple leaf in-line hinged horizontal upstand access cover	0.6	1.2	2.4	3.6			

Compatible Padlocks^{3,4,5}

Padlock Reference	Padlock		Cylinder		'Plus' Rating ⁶
	Manufacturer	Model	Manufacturer	Model	
A	Abloy	PL340/25	Abloy	Disclock Pro	+
				High Profile	+
				Novel	+
				Protec	+
				Protec2	+
				Sentry	+
B	Abloy	PL342	Abloy	Disclock Pro	+
				High Profile	+
				Novel	+
				Protec	+
				Protec2	+
				Sentry	+
C	Abloy	PL350/25	Abloy	Disclock Pro	+
				High Profile	+
				Novel	+
				Protec	+
				Protec2	+
				Sentry	+

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for LPCB

Paul Dillon
Verifier

27 April 2015
Date of Issue

27 April 2015
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com



Appendix to Certificate No: 1294a Northstone NI Limited T/A CUBIS Industries

Issue: 01

Compatible Accessories³

Accessory	Product		
	Citadel Single Leaf	Citadel Twin Leaf	Citadel Triple Leaf
Inner leaf (vented or non-vented) ⁷	✓	✓	✓
Brackets for alarm systems	✓	✓	✓
Safety grid ⁷	✓	✓	✓

Notes:

1. The width is measured perpendicular to the hinged edge of the access covers.
2. The length is measured along the hinge edge or the locking edge of the access covers.
3. Certification does not cover the use of padlocks or accessories other than those listed. Utilisation of unlisted padlocks on the outer lid and/or accessories may affect the level of security offered by the access cover.
4. The 'user friendliness' of employing the padlocks listed has not been assessed as this is beyond the scope of LPS 1175: Issue 7.
5. The compatible Abloy padlocks are approved for use when bearing an alpha-numeric code denoting the date of manufacture as being December 2013 or later. Alternatively, the 'V01' version of the equivalent padlock may be used without undermining the security rating.
6. A 'Plus' rating demonstrates that the cylinder meets the requirements defined in Annex A of BS 3621:2007 or manipulation resistance class '1' defined in LPS 1242: Issue 2.
7. The security rating only applies when the outer leaf is closed and locked using the padlocks listed. No security rating is attributed to the access cover when the inner leaf or safety grid is locked but the outer leaf is not.
8. The upstand access cover is approved when installed in accordance with the instructions contained on the document titled 'Citadel Upstand Access Cover LPS1175 Security Rating 4 Installation & Maintenance' (Version 1, 2 February 2015).

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon
Verifier

27 April 2015
Date of Issue

27 April 2015
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com


